
HORIZONTAL/VERTICAL SQUARE WELDED STEEL TANKS C SERIES





Description	Spare part code	Assembly code	L (mm)	B (mm)	ØD (mm)	Weight	Actual filling volume (lt)	
							Horiz.	Vertical
10 l square horiz. / vert. mounting	**E60303042**	**10C / 10CV**	330	185	1/2 BSP	5,50 Kg	9,6	8,1
22 l square horiz. / vert. mounting	**E60303044**	**22C / 22CV**	470	223	3/4 BSP	6,80 Kg	20,6	18,5

All dimensions are in mm


Material	Fe P04-EN10130 steel sheet 1,5mm thickness
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C


Notes: the piping kit, standard suction filter, filler/breather and drain plug are included when specifying the tank in PPC assembly code. When ordering spare parts, only the drain plug and filler/breather are included.

On request special square welded tanks can be manufactured. An inquiry must be sent to our technical department with indication of quantities.

SMALL SIZE SQUARE WELDED STEEL TANKS E SERIES







Description	Spare part code	Assembly code	A (mm)	Weight	Actual filling volume (lt)	
					Horizontal	Vertical
3 l square vertical mounting	**E60303053**	**3EV**	128	3,09 Kg	-	4,2
7 l square vertical mounting	**E60303057**	**7EV**	220	4,32 Kg	-	8,3


All dimensions are in mm


Material	Fe P04-EN10130 steel sheet 1,5mm thickness
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Notes: the piping kit, standard suction filter, filler/breather and drain plug are included when specifying the tank in PPC assembly code. When ordering spare parts, only the drain plug and filler/breather are included.

SMALL SIZE SQUARE WELDED STEEL TANKS E SERIES







Description	Spare part code	Assembly code	A (mm)	Weight	Actual filling volume (lt)	
					Horizontal	Vertical
8 l square vertical mounting	**E60303041**	**8EV**	156	4,50 Kg	-	10,4
15 l square vertical mounting	**E60303014**	**15EV**	260	5,20 Kg	-	18,5


All dimensions are in mm

Material	Fe P04-EN10130 steel sheet 1,5mm thickness
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Notes: the piping kit, standard suction filter, filler/breather and drain plug are included when specifying the tank in PPC assembly code. When ordering spare parts, only the drain plug and filler/breather are included.

SQUARE WELDED STEEL TANKS E SERIES





Description	Spare part code	Assembly code	A (mm)	Weight	Actual filling volume (lt)	
					Horizontal	Vertical
20 l square vertical mounting	**E60303015**	**20EV**	293	6,50 Kg	-	20,8
30 l square vertical mounting	**E60303048**	**30EV**	423	8,50 Kg	-	33,5

All dimensions are in mm

Material	Fe P04-EN10130 steel sheet 2,5mm thickness on top and side, 1,5mm thickness front and rear
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Notes: the piping kit, standard suction strainer, filler/breather, level gauge and drain plug are included when specifying the tank in PPC assembly code.
When ordering spare tanks, only the drain plug, filler/breather and level gauge are included.

On request special square welded tanks can be manufactured. An inquiry must be sent to our technical department with indication of quantities.