

SQUARE PLASTIC TANKS T SERIES








Description	Spare part code	Assembly code	L (mm)	Weight	Actual filling volume (lt)	
					Horizontal	Vertical
1 l square horizontal / vertical mounting	**H50403005**	**1T / 1TV**	125	0,23 Kg	1,0	0,8
1,5 l square horizontal / vertical mounting	**H50403007**	**1,5T / 1,5TV**	150	0,24 Kg	1,4	1,2
2 l square horizontal / vertical mounting	**H50403009**	**2T / 2TV**	211	0,34 Kg	2,2	2,0
2,7 l square horizontal / vertical mounting	**H50403011**	**2,7T / 2,7TV**	261	0,40 Kg	2,7	2,7
3,5 l square horizontal / vertical mounting	**H50403013**	**3,5T / 3,5TV**	326	0,49 Kg	3,7	3,9


Material	PE-HD neutral / transparent color (DO NOT EXPOSE TO DIRECT SUNLIGHT)
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Note: the piping kit, standard suction filter, filler/breather and discharge plug are included when specifying the tank in PPM assembly code
When ordering spare parts, only the discharge plug and filler/breather are included

SQUARE PLASTIC TANKS K SERIES








Description	Spare part code	Assembly code	L (mm)	Weight	Actual filling volume lt (gal)	
					Horizontal	Vertical
1,5 l square horizontal / vertical mounting	**TCTAH00012**	**1,5K / 1,5KV**	144	0,39 Kg	1,8 (0,48)	1,4 (0,37)
2 l square horizontal / vertical mounting	**TCTAH00013**	**2K / 2KV**	194	0,45 Kg	2,45 (0,65)	2,35 (0,62)
3 l square horizontal / vertical mounting	**TCTAH00014**	**3K / 3KV**	264	0,68 Kg	3,5 (0,92)	3,3 (0,87)
4 l square horizontal / vertical mounting	**TCTAH00015**	**4K / 4KV**	324	0,75 Kg	4,4 (1,16)	4,45 (1,18)
5 l square horizontal / vertical mounting	**TCTAH00016**	**5K / 5KV**	404	0,79 Kg	5,7 (1,51)	5,9 (1,56)
6 l square horizontal / vertical mounting	**TCTAH00018**	**6K / 6KV**	474	0,88 Kg	6,2 (1,64)	6,6 (1,74)

Material	PE-HD neutral / transparent colour (DO NOT EXPOSE TO DIRECT SUNLIGHT)
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Notes: the piping kit, standard suction strainer and filler/breather are included when specifying the tank in PPC assembly code. When ordering spare tanks, only the filler/breather C86100003 and clamp band are included. Discharge ports are normally moulded blind.


SQUARE PLASTIC TANKS L & M SERIES





Description	Spare part code	Assembly code	L (mm)	Weight	Actual filling volume lt (gal)	
					Horizontal	Vertical
1,5 l square horizontal / vertical mounting	**H60303016**	**1,5L / 1,5LV**	135	0,32 Kg	2,4 (0,63)	1,5 (0,40)
3 l square horizontal / vertical mounting	**H60303018**	**3L / 3LV**	250	0,42 Kg	4,4 (1,16)	4,2 (1,11)
6 l square horizontal / vertical mounting	**H60303020**	**6L / 6LV**	350	0,63 Kg	6,2 (1,64)	6,6 (1,74)





Description	Spare part code	Assembly code	L (mm)	Weight	Actual filling volume lt (gal)	
					Horizontal	Vertical
5 l square horizontal / vertical mounting	**H60303025**	**5M / 5MV**	270	0,60 Kg	5,8 (1,53)	5,7 (1,51)
8 l square horizontal / vertical mounting	**H60303033**	**8M / 8MV**	375	0,76 Kg	8,1 (2,11)	8,8 (2,32)


Material	PE-HD neutral / transparent colour (DO NOT EXPOSE TO DIRECT SUNLIGHT)
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Notes: the piping kit, standard suction strainer and filler/breather are included when specifying the tank in PPC assembly code. When ordering spare tanks, only the filler/breather C86100003 and clamp band are included. Discharge ports are normally moulded blind.

SQUARE PLASTIC TANKS Q SERIES



NEW




Description	Spare part code	Assembly code	L (mm)	Weight	Actual filling volume lt (gal)	
					Horizontal	Vertical
5 l square horizontal / vertical mounting	**TCTAH00002**	**5Q / 5QV**	235	0,53 Kg	5,4 (1,43)	5,7 (1,51)
12 l square horizontal / vertical mounting	**TCTAH00005**	**12Q / 12QV**	528	1,04 Kg	13,0 (3,43)	14,7 (3,88)

Material	PE-HD neutral / transparent colour (DO NOT EXPOSE TO DIRECT SUNLIGHT)
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Clamping brakets



Clamp code
E60513022




Notes: 4 x E60513022 mounting clamp brakets and a clamp band are required to fix Q series square plastic tanks.

Notes: the piping kit, standard suction strainer and filler/breather are included when specifying the tank in PPC assembly code.
When ordering spare tanks, only the filler/breather C86100001, E60513022 plate and clamp band are included.
Discharge ports are normally moulded blind. Available on request with other filling volume. Ask for details.

SQUARE PLASTIC TANKS N SERIES





Description	Spare part code	Assembly code	L (mm)	Weight	Actual filling volume lt (gal)	
					Horizontal	Vertical
15 l plastic square vertical mounting	**E20201800**	**15NV**	307	1,53 Kg	-	16,8 (4,44)

Material	PE-HD neutral / transparent colour (DO NOT EXPOSE TO DIRECT SUNLIGHT)
Fluid	Mineral based oil ISO/DIN 6743/4
Working temperature	-15 / +70°C

Notes: the piping kit, standard suction strainer and filler/breather are included when specifying the tank in PPC assembly code.
When ordering spare tanks, only the filler/breather and drain plug are included. Enquire for more details.
Plugs: Thread M14, hole dimension 12.5 mm.