

UNIVERSAL CENTRAL MANIFOLDS - OVERALL DIMENSIONS


Type	Spare part code
UA	C30401000
UB	C30402000
U4	C30404000
UR	C30405000
UAUS	C30401010
UBUS	C30402010
U4US	C30404010
URUS	C30405010


Notes:
- codes ending with **US** are according American standards, machined with 9/16-18 UNF (SAE06) P-T exit ports.
- all dimensions in mm (inches)




Weight: 1,1 kg (2,42 lb)









Cavity	Thread
0, 1, 2, 3, 4	3/4-16 UNF (SAE08)
P-T	1/4 BSP 9/16-18UNF (SAE06 - US type)
P_1-T_1	1/4 BSP (threaded on request only)
5, 6, 8, 9	1/4 BSP (cavity 9 threaded on request only)
External manifolds fixings	2 tie rods M8 4 tie rods M6 (UB type only)
Tank fixings	4 screws M6x14
Integral AC motors and B14 flanges fixings	4 screws M8x25
DC motors fixings	2 screws M6x14 or tie rods M6
Pumps fixings	2 screws M8 (see pump lenghts on the relevant tables)
Mounting Foot fixings	2 screws M10x18 3/8-16 UNC US type
PMC hand pump and CM lever valve fixings	4 screws M5x45






Motor side view


UNIVERSAL CENTRAL MANIFOLD «UA»




UNIVERSAL CENTRAL MANIFOLD «UB»




UNIVERSAL CENTRAL MANIFOLD «U4»





4VA2		MSV4VA2
4VB2		MSV4VB2
4VC2		MSV4VC2
4VE2		MSV4VE2
4VA11C		MSV4VA11C




Modular manifold with check valves
(See section F)








J		VUC20
S		CSB04
L		E70100004
N		E70100002



Hydraulic scheme



UNIVERSAL CENTRAL MANIFOLDS «UB» - «UR» - CAVITIES & INTEGRAL COMPONENTS

